

Canadian Geotechnical Journal

Revue canadienne de géotechnique

Contents
Volume 33, 1996

Sommaire
Volume 33, 1996

February / Février

R. Kerry Rowe and Preba Nadarajah	Estimating leachate drawdown due to pumping wells in landfills	1
Hideo Komine and Nobuhide Ogata	Prediction for swelling characteristics of compacted bentonite	11
Marcio S.S. Almeida, Fernando A.B. Danziger, and Tom Lunne	Use of the piezocone test to predict the axial capacity of driven and jacked piles in clay	23
S.J. Wheeler	Inclusion of specific water volume within an elasto-plastic model for unsaturated soil	42
Resat Ulusay, Dinçer Çağlan, Fehmi Arıkan, and M. Fatih Yoleri	Characteristics of biplanar wedge spoil pile instabilities and methods to improve stability	58
Huaren Dou and Peter M. Byrne	Dynamic response of single piles and soil-pile interaction	80
M.A. Gabr, J.J. Bowders, J. Wang, and J. Quaranta	In situ soil flushing using prefabricated vertical drains	97
R. Kerry Rowe and Brian L.J. Mylleville	A geogrid reinforced embankment on peat over organic silt: a case history	106
Z.Y. Lu and D.M. Cruden	Two debris flow modes on Mount Cayley, British Columbia	123
J.F. (Derick) Nixon and Kaye L. MacInnes	Application of pipe temperature simulator for Norman Wells oil pipeline	140

NOTES

Pierre Delage, Martine Audiguier, Yu-Jun Cui, and Michael D. Howat	Microstructure of a compacted silt	150
Andrzej Niemunis and Stefan Krieg	Viscous behaviour of soil under oedometric conditions	159
Robert P. Chapuis, André Contant, and Karsten A. Baass	Migration of fines in 0–20 mm crushed base during placement, compaction, and seepage under laboratory conditions	168
Vlodek R. Tarnawski and Bernhard Wagner	On the prediction of hydraulic conductivity of frozen soils	176
Tung-Wen Hsu	Soil restraint against oblique motion of pipelines in sand	180
J.A.R. Ortigao, R.P. Cunha, and L.S. Alves	In situ tests in Brasília porous clay	189

DISCUSSIONS

H. Chanson	Selection and application of a one-dimensional non-Darcy flow equation for two-dimensional flow through rockfill embankments: Discussion	199
David Hansen, Vinod K. Garga, and D. Ronald Townsend	Selection and application of a one-dimensional non-Darcy flow equation for two-dimensional flow through rockfill embankments: Reply	200
Ashok Chugh	Limit equilibrium computation of dynamic passive earth pressure: Discussion	202
Ernest E. Morrison, Jr., and Robert M. Ebeling	Limit equilibrium computation of dynamic passive earth pressure: Reply	203
Ashraf M. Ghaly	Brazilian tensile strength test of lightly cemented sand: Discussion	204
B.M. Das, S.C. Yen, and R.N. Dass	Brazilian tensile strength test of lightly cemented sand: Reply	206
John H. Schmertmann	Strength development with burial in fine-grained sediments from the Saguenay Fjord, Quebec: Discussion	206
D. Perret, J. Locat, and S. Leroueil	Strength development with burial in fine-grained sediments from the Saguenay Fjord, Quebec: Reply	207

ERRATUM

R. Kerry Rowe, C.T. Gnanendran, A.O. Landva, and A.J. Valsangkar	Erratum: Construction and performance of a full-scale geotextile reinforced test embankment, Sackville, New Brunswick	208
---	---	-----

Instructions to Authors	I-1
Recommandations aux auteurs	R-1
NRC Research Press publication policy	iii
Presses scientifiques du CNRC, politique de publication	vi

April / Avril

K.D. Eigenbrod and T. Issigonis Pore-water pressures in soft to firm clay during driving of piles into underlying dense sand	209
I.H. Wong, I.K. Ooi, and B.B. Broms Performance of raft foundations for high-rise buildings on the Bouldery Clay in Singapore	219
N. Yasuda, N. Ohta, and A. Nakamura Dynamic deformation characteristics of undisturbed riverbed gravels	237
P. Devillers, C. Saix et M.S. El Yousoufi Loi de comportement thermo-hydrromécanique pour les sols non saturés : identification in situ des indices de compression thermique	250
Jordi Corominas The angle of reach as a mobility index for small and large landslides	260
S.Y. Oloo and D.G. Fredlund A method for determination of ϕ^b for statically compacted soils	272
Y.P. Vaid and S. Sivathayalan Static and cyclic liquefaction potential of Fraser Delta sand in simple shear and triaxial tests	281
Hans H. Vaziri Numerical study of parameters influencing the response of flexible retaining walls	290
I.J. Ferguson, W.J. Taylor, and K. Schmigel Electromagnetic mapping of saline contamination at an active brine pit	309
R. Kerry Rowe, C.T. Gnanendran, A.O. Landva, and A.J. Valsangkar Calculated and observed behaviour of a reinforced embankment over soft compressible soil	324

NOTES

Michel Bellanger, Jean-Michel Remy et Françoise Homand Influence des propriétés du milieu poreux sur la durabilité au gel des roches calcaires	339
Bassam Saleh, Abdallah I. Husein Malkawi, and Pierre A. Blum In situ determination of a rock mass modulus using a high resolution tiltmeter	350
Richard Fortier, Michel Allard, and Fernando Sheriff Field estimation of water-ice phase composition of permafrost samples using a calorimetric method	355
C. Derek Martin, Neil A. Chandler, and Rodney S. Read The role of convergence measurements in characterizing a rock mass	363

DISCUSSIONS

S.J. Boone Factors affecting at-rest lateral stress in artificially cemented sands: Discussion	371
Fanyu Zhu, Jack I. Clark, and Michael J. Paulin Factors affecting at-rest lateral stress in artificially cemented sands: Reply	373
R.G. Robinson and M.M. Allam Quasi-overconsolidation and creep phenomena in shallow marine and estuarine organo-calcareous silts, Fiji: Discussion	373
Michel Aubertin Triaxial stress relaxation tests on Saskatchewan potash: Discussion	375

BOOK REVIEW / CRITIQUE DE LIVRE

C. Derek Martin Brittle failure of rock materials: test results and constitutive models	378
--	------------

June / Juin

S.K. Vanapalli, D.G. Fredlund, D.E. Pufahl, and A.W. Clifton Model for the prediction of shear strength with respect to soil suction	379
B. Rajani, C. Zhan, and S. Kuraoka Pipe-soil interaction analysis of jointed water mains	393
Patrick J. Fox and Tuncer B. Edil Effects of stress and temperature on secondary compression of peat	405
K. Badv and R. Kerry Rowe Contaminant transport through a soil liner underlain by an unsaturated stone collection layer	416
Mark S. Diederichs and Peter K. Kaiser Rock instability and risk analyses in open stope mine design	431

D.G. Fredlund, Anqing Xing, M.D. Fredlund, and S.L. Barbour	The relationship of the unsaturated soil shear strength to the soil-water characteristic curve	440
John E. Sims, Derek Elsworth, and John A. Cherry	Stress-dependent flow through fractured clay till: a laboratory study	449
Kevin P. Parks and Laurence R. Bentley	Derivative-assisted evaluation of well yields in a heterogeneous aquifer	458

NOTES

Michel Aubertin, Bruno Bussière, and Robert P. Chapuis	Hydraulic conductivity of homogenized tailings from hard rock mines	470
R.P. Cunha	Lantern effects on pressuremeter shear modulus in sand	482
B.S.Y. Chen and P.W. Mayne	Statistical relationships between piezocone measurements and stress history of clays	488
Robert G. Horvath and Dieter Stolle	Frustum confining vessel for testing model piles	499
R. Sri Ranjan and T. Karthigesu	A capillary flow meter for measuring the hydraulic conductivity of clay under low gradients	504
M.O. Al-Hunaidi, P.A. Chen, J.H. Rainer, and M. Tremblay	Shear moduli and damping in frozen and unfrozen clay by resonant column tests	510
M. Fam and J.C. Santamarina	Coupled diffusion-fabric-flow phenomena: an effective stress analysis	515

DISCUSSIONS

J.-M. Konrad	Effect of aging on the penetration resistance of sands: Discussion	523
R.C. Joshi, Gopal Achari, Shenbaga R. Kaniraj, and H. Wijeweera	Effect of aging on the penetration resistance of sands: Reply	524
C. Sagaseta and A.J. Whittle	Effect of pile driving on adjacent piles in clay: Discussion	525
H.G. Poulos	Effect of pile driving on adjacent piles in clay: Reply	527

August /Août

K.D. Eigenbrod	Effects of cyclic freezing and thawing on volume changes and permeabilities of soft fine-grained soils	529
R.E. Gerber and K.W.F. Howard	Evidence for recent groundwater flow through Late Wisconsinan till near Toronto, Ontario	538
P.C. Kotzias and A.C. Stamatopoulos	Field quality control of an earth dam: random versus purposive sampling	556
J.A.R. Ortigao, R. Kochen, M.M. Farias, and A.P. Assis	Tunnelling in Brasília porous clay	565
S.R. Neubecker and M.F. Randolph	The static equilibrium of drag anchors in sand	574
S.R. Neubecker and M.F. Randolph	The kinematic behaviour of drag anchors in sand	584
Julian K-M. Gan and D.G. Fredlund	Shear strength characteristics of two saprolitic soils	595
Ron C.K. Wong	Behaviour of water-jet mined caverns in oil sand and shale	610
T.T. Iim, H. Rahardjo, M.F. Chang, and D.G. Fredlund	Effect of rainfall on matric suctions in a residual soil slope	618
B. Rajani and C. Zhan	On the estimation of frost loads	629
Nagula N. Suthaker and J. Don Scott	Measurement of hydraulic conductivity in oil sand tailings slurries	642
Jacques Locat, Hélène Tremblay, and Serge Leroueil	Mechanical and hydraulic behaviour of a soft inorganic clay treated with lime	654

NOTES

H.G. Poulos and L.T. Chen	Pile response due to unsupported excavation-induced lateral soil movement	670
Robert E. Tester and Paul N. Gaskin	Effect of fines content on frost heave	678

DISCUSSION

L.J. West and D.I. Stewart	Fundamental formulation of electrokinetic extraction of contaminants from soil: Discussion	681
Albert T. Yeung and Subbaraju Datla	Fundamental formulation of electrokinetic extraction of contaminants from soil: Reply	682

October / Octobre

R.P. McAfee and D.M. Cruden	Landslides at Rock Glacier Site, Highwood Pass, Alberta	685
A. Porbaha and D.J. Goodings	Centrifuge modeling of geotextile-reinforced steep clay slopes	696
Brigitte E.J. Boldt-Leppin, Moir D. Haug, and John V. Headley	Use of organophilic clay in sand-bentonite as a barrier to diesel fuel	705
Adrian F. Park and Bruce E. Broster	Influence of glaciectonic fractures on wall failure in open excavations: Heath Steele Mines, New Brunswick, Canada	720
I.H. Wong, T.Y. Poh, and H.L. Chuah	Analysis of case histories from construction of the Central Expressway in Singapore	732
P. Dykeman and A.J. Valsangkar	Model studies of socketed caissons in soft rock	747
Robert P. Chapuis and Gaston Pouliot	Determination of bentonite content in soil-bentonite liners by X-ray diffraction	760
J.C. Santamarina and G. Cascante	Stress anisotropy and wave propagation: a micromechanical view	770
Horace K. Moo-Young, Jr., and Thomas F. Zimmie	Effects of freezing and thawing on the hydraulic conductivity of paper mill sludges used as landfill covers	783

NOTES

Serge Leroueil and Jean-Pierre Le Bihan	Liquid limits and fall cones	793
Jiin-Song Tsai and Jia-Chyi Chang	Three-dimensional stability analysis for slurry-filled trench wall in cohesionless soil	798
P.V. Sivapullaiah, A. Sridharan, and V.K. Stalín	Swelling behaviour of soil-bentonite mixtures	808
A.B. Schriver and A.J. Valsangkar	Anchor rod forces and maximum bending moments in sheet pile walls using the factored strength approach	815
A. Sayão and Y.P. Vaid	Effect of intermediate principal stress on the deformation response of sand	822
Ross W. Boulanger and Stephen P. Truman	Void redistribution in sand under post-earthquake loading	829
Elmer L. Matyas and Leo Rothenburg	Estimation of total settlement of embankments by field measurements	834

DISCUSSIONS

Robert A. Douglas	Analysis of membrane action in reinforced unpaved roads: Discussion	842
H.J. Burd	Analysis of membrane action in reinforced unpaved roads: Reply	843
Debasis Roy, R.G. (Dick) Campanella, John Hughes, and Michael P. Davies	Estimating the undrained strength of sand: a theoretical framework: Discussion	845
Catherine E. Fear and Peter K. Robertson	Estimating the undrained strength of sand: a theoretical framework: Reply	847
K. Prakash	A new two point method of obtaining C_v from a consolidation test: Discussion	849

BOOK REVIEW / CRITIQUE DE LIVRE

Tom Lunne and Suzanne Lacasse	The pressuremeter and its new avenues	851
--------------------------------------	---------------------------------------	------------

December / Décembre

Erman Evgin and Kazem Fakharian	Effect of stress paths on the behaviour of sand-steel interfaces	853
Carl B. Crawford and K. Ian Morrison	Case histories illustrate the importance of secondary-type consolidation settlements in the Fraser River delta	866
William F. Van Impe and Abdelmalek Bouazza	Densification of domestic waste fills by dynamic compaction	879
C.F. Leung, F.H. Lee, and N.S. Yet	The role of particle breakage in pile creep in sand	888
E.M. Palmeira, R.J. Fannin, and Y.P. Vaid	A study on the behaviour of soil-geotextile systems in filtration tests	899
M.A. Knight and R.J. Mitchell	Modelling of light nonaqueous phase liquid (LNAPL) releases into unsaturated sand	913
G.C. McRostie, L. Morissette, and M.W. St-Louis	Bottom-heave control of a deep sensitive clay excavation in Ottawa, Canada	926
Z. Cai and R.J. Bathurst	Seismic-induced permanent displacement of geosynthetic-reinforced segmental retaining walls	937
Dennis E. Becker	Eighteenth Canadian Geotechnical Colloquium: Limit States Design For Foundations. Part I. An overview of the foundation design process	956
Dennis E. Becker	Eighteenth Canadian Geotechnical Colloquium: Limit States Design For Foundations. Part II. Development for the National Building Code of Canada	984

NOTES

M.L. Talesnick Reliability of thin-walled cylinder tests for elastic properties of anisotropic rocks	1008
C.F. Gravelle, M.A. Knight, and R.J. Mitchell Measurement of two-fluid saturations in a fine to medium sand	1014
Y.P. Vaid and S. Sivathayalan Errors in estimates of void ratio of laboratory sand specimens	1017
Yenumula V.S.N. Prasad and T.R. Chari Rigid pile with a baseplate under large moments: laboratory model evaluations	1021

DISCUSSION

David Hansen The angle of reach as a mobility index for small and large landslides: Discussion	1027
Jordi Corominas The angle of reach as a mobility index for small and large landslides: Reply	1029
Note of appreciation / Note de reconnaissance	iii
Author index for Volume 33 / Index des auteurs pour le volume 33	AI-1
Contents for Volume 33 / Sommaire pour le volume 33	C-1